

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

METHODS AND APPARATUS FOR INDICATING
TEMPERATURE-RELATED EVENTS

Inventors: VACHE et al.

Docket No.: S1446.70005US01



METHODS AND APPARATUS FOR INDICATING
TEMPERATURE-RELATED EVENTS

Inventors: VACHE et al.

Docket No.: S1446.70005US01




FIG. 2



Docket No.: S1446.70005US01



METHODS AND APPARATUS FOR INDICATING TEMPERATURE-RELATED EVENTS

Inventors: VACHE et al.

Docket No.: S1446.70005US01

NOTES: UNLESS OTHERWISE SPECIFIED,
1. INTERPRET DRAWING IN ACCORDANCE WITH ASME Y14.5M 1994.

- 2. LIGHT SCORE ALL AROUND AS SHOWN
- 3. SCORE CUT EDGE
- 4. COLOR "RED"






FIG. 4



METHODS AND APPARATUS FOR INDICATING
TEMPERATURE-RELATED EVENTS

Inventors: VACHE et al.

Docket No.: S1446.70005US01



METHODS AND APPARATUS FOR INDICATING
TEMPERATURE-RELATED EVENTS

Inventors: VACHE et al.

Docket No.: S1446.70005US01




FIG. 6